


International Digestive Endoscopy Network 2020

September 25(Fri) – 26(Sat), 2020 BEXCO, Busan, Korea

Name	Kohei Takizawa, MD	
Country	Japan	
Organization	Shizuoka Cancer Center	
Current Position	<ul style="list-style-type: none">• Medical Doctor (Physician-in-chief) Shizuoka Cancer Center, Division of Endoscopy• Secretary general of Gastrointestinal Endoscopy Study Group (GIESG), Japan Clinical Oncology Group (JCOG)	

Educational Background

College/University: 1993-1999 MD, Sapporo Medical University, Japan

Residency: 1999-2003 Resident in Internal Medicine, Sapporo Medical University, Japan

Fellowship: 2003-2007 Fellow in Gastroenterology, National Cancer Center Hospital, Tokyo, Japan

Professional Experiences

1999-2003 Sapporo Medical University Hospital, Sapporo, Japan

2003-2007 National Cancer Center Hospital, Tokyo, Japan

2007-2014 Shizuoka Cancer Center, Shizuoka, Japan

2012-2013 Mayo clinic College of Medicine, Gastroenterology and Hepatology, USA

2013- present Shizuoka Cancer Center, Shizuoka, Japan

Professional Organizations

Sep 2003 Board Certified Member of the Japanese Society of Internal Medicine # 23534

Dec 2005 Fellow of the Japanese Gastroenterological Endoscopy Society # 20050266

Dec 2005 Fellow of the Japanese society of gastroenterology # 28790

Apr 2009 General Clinical Oncologist by Japanese Board of Cancer Therapy #08102050

Dec 2009 Board Certified Senior Member of the Japanese Gastroenterological Endoscopy Society

Jan 2012 Board Certified Member of the Japanese Esophageal Society

Nov 2013 Board Certified Senior Member of the Japanese gastroenterological Association

Jan 2015 Board Certified Senior Member of the Japanese society of gastroenterology

Main Scientific Publications

First author

1. **Takizawa K**, Oda I, Gotoda T, Yokoi C, Matsuda T, Saito Y, Saito D, Ono H. Routine coagulation of visible vessels may prevent delayed bleeding after endoscopic submucosal dissection--an analysis of risk factors. *Endoscopy*. 2008 Mar;40(3):179-83.

2. **Takizawa K**, Matsuda T, Kozu T, Eguchi T, Kato H, Nakanishi Y, Hijikata A, Saito D. Lymph node staging in esophageal squamous cell carcinoma: a comparative study of endoscopic ultrasonography versus computed tomography. *J Gastroenterol Hepatol*. 2009 Oct;24(10):1687-91.

3. **Takizawa K**, Takashima A, Kimura A, Mizusawa J, Hasuike N, Ono H, Terashima M, Muto M, Boku N, Sasako M, Fukuda H; Gastrointestinal Endoscopy Study Group (GIESG) of Japan Clinical Oncology Group (JCOG); Stomach Cancer Study Group (SCSG) of Japan Clinical Oncology Group (JCOG). A phase II clinical trial of endoscopic submucosal dissection for early gastric cancer of undifferentiated type: Japan Clinical Oncology Group study JCOG1009/1010. *Jpn J Clin Oncol*. 2013 Jan;43(1):87-91.

4. **Takizawa K**, Ono H, Kakushima N, Tanaka M, Hasuike N, Matsubayashi H, Yamaguchi Y, Bando E, Terashima M, Kusafuka K, Nakajima T. Risk of lymph node metastases from intramucosal gastric cancer in

relation to histological types: how to manage the mixed histological type for endoscopic submucosal dissection. *Gastric Cancer*. 2013 Oct;16(4):531-6.

5. **Takizawa K**, Gostout CJ, Knipschild MA. Submucosal endoscopy with mucosal resection (SEMR): a new hybrid technique of endoscopic submucosal dissection. *Endoscopy*. 2013 Mar;45 Suppl 2 UCTN: E38-9.

6. **Takizawa K**, Brahmhatt R, Knipschild MA, Bingener J, Gostout CJ. TransColonic Peritoneoscopy using Submucosal endoscopy with mucosal flap (TCPS) for the detection of peritoneal bead targeting in the porcine survival model: a feasibility and effectiveness study. *Gastrointestinal Endoscopy* 79 (2014), pp. 127-134

7. **Takizawa K**, Knipschild MA, Gostout CJ. Submucosal Endoscopy with Mucosal Resection (SEMR): a new hybrid technique of endoscopic submucosal balloon dissection in the porcine rectosigmoid colon. *Surgical Endoscopy*. 2013 Dec;27(12):4457-62.

8. **Takizawa K**, Identification, Treatment and Prevention of Complications: Hemorrhage. *ESD: Principles and Practice*

9. **Takizawa K**, Knipschild MA, Gostout CJ. Submucosal endoscopy as an aid to full-thickness resection: pilot study in the porcine stomach. *Gastrointestinal Endoscopy*. 81 (2015), pp. 450-454

10. **Takizawa K**, Knipschild MA, Rajan E. Closure of full thickness defects by endolumenal suturing: leak pressure study in an ex vivo porcine model

11. **Takizawa K**, Ono H, Yamamoto Y, Katai H, Hori S, Yano T, Umegaki E, Sasaki S, Iizuka T, Kawagoe K, Shimoda T, Muto M, Sasako M. Incidence of lymph node metastasis in intramucosal gastric cancer measuring ≤ 30 mm, with ulceration; mixed, predominantly differentiated-type histology; and no lymphovascular invasion: a multicenter retrospective study. *Gastric cancer* 2016

12. **Takizawa K**, Knipschild MA, Gostout CJ. Randomized controlled trial comparing submucosal endoscopy with mucosal resection and endoscopic submucosal dissection in the esophagus and stomach: Animal study. *Dig Endosc*. 2018 ; 30 65-70

13. **Takizawa K**, Hatta W, Gotoda T, Kawata N, Nakagawa M, Takahashi A, Esaki M, Mitoro A, Yamada S, Tanaka K, Matsuda M, Takada J, Oka S, Ito H, Ohnita K, Shimoda R, Hoteya S, Oyama T, Shimosegawa T. Recurrence Patterns and Outcomes of Salvage Surgery in Cases of Non-Curative Endoscopic Submucosal Dissection without Additional Radical Surgery for Early Gastric Cancer. *Digestion*. 2019;99(1):52-58.

14. **Takizawa K**, Ono H, Muto M. Current indications of endoscopic submucosal dissection for early gastric cancer in Japan. *Jpn J Clin Oncol*. 2019 Jul 19. pii: hyz100. doi: 10.1093/jjco/hyz100. [Epub ahead of print]

Co-author

67. Katada C, Yokoyama T, Yano T, Kaneko K, Oda I, Shimizu Y, Doyama H, Koike T, **Takizawa K**, Hirao M, Okada H, Yoshii T, Konishi K, Yamanouchi T, Tsuda T, Omori T, Kobayashi N, Shimoda T, Ochiai A, Amanuma Y, Ohashi S, Matsuda T, Ishikawa H, Yokoyama A, Muto M. Alcohol Consumption and Multiple Dysplastic Lesions Increase Risk of Squamous Cell Carcinoma in the Esophagus, Head, and Neck. *Gastroenterology*. 2016 Nov;151(5):860-869.e7. doi: 10.1053/j.gastro.2016.07.040. Epub 2016 Aug 1.

69. Igarashi K, **Takizawa K**, Kakushima N, Tanaka M, Kawata N, Yoshida M, Ito S, Imai K, Hotta K, Ishiwatari H, Matsubayashi H, Ono H. Should antithrombotic therapy be stopped in patients undergoing gastric endoscopic submucosal dissection? *Surg Endosc*. 2017 Apr;31(4):1746-1753.
75. Hasuike N, Ono H, Boku N, Mizusawa J, **Takizawa K**, Fukuda H, Oda I, Doyama H, Kaneko K, Hori S, Iishi H, Kurokawa Y, Muto M; Gastrointestinal Endoscopy Group of Japan Clinical Oncology Group (JCOG-GIESG) A non-randomized confirmatory trial of an expanded indication for endoscopic submucosal dissection for intestinal-type gastric cancer (cT1a): the Japan Clinical Oncology Group study (JCOG0607). *Gastric Cancer*. 2018 Jan;21(1):114-123. doi: 10.1007/s10120-017-0704-y. Epub 2017 Feb 21.
79. Fujiya K, **Takizawa K**, Tokunaga M, Kawata N, Hikage M, Makuuchi R, Tanizawa Y, Bando E, Kawamura T, Tanaka M, Kakushima N, Ono H, Terashima M. The value of diagnostic endoscopic submucosal dissection for patients with clinical submucosal invasive early gastric cancer. *Gastric Cancer*. 2018 Jan;21(1):124-132. doi: 10.1007/s10120-017-0724-7. Epub 2017 May 8.
86. Yoshida M, **Takizawa K**, Suzuki S, Koike Y, Nonaka S, Yamasaki Y, Minagawa T, Sato C, Takeuchi C, Watanabe K, Kanzaki H, Morimoto H, Yano T, Sudo K, Mori K, Gotoda T, Ono H; CONNECT-G Study Group. Conventional versus traction-assisted endoscopic submucosal dissection for gastric neoplasms: a multicenter, randomized controlled trial (with video). *Gastrointest Endosc*. 2017 Dec 9.
92. Suzuki H, **Takizawa K**, Hirasawa T, Takeuchi Y, Ishido K, Hoteya S, Yano T, Tanaka S, Endo M, Nakagawa M, Toyonaga T, Doyama H, Hirasawa K, Matsuda M, Yamamoto H, Fujishiro M, Hashimoto S, Maeda Y, Oyama T, Takenaka R, Yamamoto Y, Naito Y, Michida T, Kobayashi N, Kawahara Y, Hirano M, Jin M, Hori S, Niwa Y, Hikichi T, Shimazu T, Ono H, Tanabe S, Kondo H, Iishi H, Ninomiya M, Oda I; For J-WEB/EGC group. Short-Term Outcomes of Multicenter Prospective Cohort Study of Gastric Endoscopic Resection: "Real-World Evidence" in Japan. *Dig Endosc*. 2018 Jul 30. doi: 10.1111/den.13246.
99. Murai K, **Takizawa K**, Shimoda T, Fujii S, Sugino T, Yoshida M, Kawata N, Tanaka M, Kakushima N, Terashima M, Ono H. Effect of double-layer structure in intramucosal gastric signet-ring cell carcinoma on lymph node metastasis: a retrospective, single-center study. *Gastric Cancer*. 2018 Dec 6.
105. Minashi K, Nihei K, Mizusawa J, **Takizawa K**, Yano T, Ezoe Y, Tsuchida T, Ono H, Iizuka T, Hanaoka N, Oda I, Morita Y, Tajika M, Fujiwara J, Yamamoto Y, Katada C, Hori S, Doyama H, Oyama T, Nebiki H, Amagai K, Kubota Y, Nishimura K, Kobayashi N, Suzuki T, Hirasawa K, Takeuchi T, Fukuda H, Muto M. Efficacy of Endoscopic Resection and Selective Chemoradiotherapy for Stage I Esophageal Squamous Cell Carcinoma. *Gastroenterology*. 2019 Aug;157(2):382-390.e3.
111. Yoshida M, **Takizawa K**, Nonaka S, Shichijo S, Suzuki S, Sato C, Komori H, Minagawa T, Oda I, Uedo N, Hirasawa K, Matsumoto K, Sumiyoshi T, Mori K, Gotoda T, Ono H; CONNECT-E Study Group. Conventional versus traction-assisted endoscopic submucosal dissection for large esophageal cancers: a multicenter, randomized controlled trial (with video). *Gastrointest Endosc*. 2019 Aug 21. pii: S0016-5107(19)32183-2. doi: 10.1016/j.gie.2019.08.014.
-