International Digestive Endoscopy Network 2020

Name	Chang-Hwan Park	
Country	Korea, Republic of	
Organization	Chonnam National University Medical School	
Current Position	Professor	8



Educational Background

1993: MD, Chonnam National University Medical School, Gwangju, Korea

2002: PhD, Chonnam National University Postgraduate School, Gwangju, Korea

Professional Experiences

May 2003 – April 2004: Clinical Instructor

May 2004 - January 2005: Clinical Assistant Professor

February 2005 – March 2010: Assistant Professor

August 2008 - December 2009: Research Scholar, Geffen medical school, UCLA, California, USA

April 2010 – April 2015: Associate Professor

May 2015 - Present: Professor, Department of Internal Medicine Chonnam National University Medical School,

Gwangju, Korea

Professional Organizations

The Korean Association of Internal Medicine

The Korean Society of Gastroenterology

Korean Society of Gastrointestinal Endoscopy

Korean Pancreatobiliary Association

Korean Association for the Study of the Liver

Korean Colleage of Helicobacter and Upper Gastrointestinal Research

Main Scientific Publications

- 1. Park CS, Lee SM, Park CH, Koh HR, Jun CH, Park SY, Lee WS, Joo YE, Kim HS, Choi SK, Rew JS. Pretreatment antimicrobial susceptibility-guided vs. clarithromycin-based triple therapy for Helicobacter pylori eradication in a region with high rates of multiple drug resistance. Am J Gastroenterol. 2014 Oct;109(10):1595-602.
- 2. Park SY, Lim SO, Ki HS, Jun CH, Park CH, Kim HS, Choi SK, Rew JS. Low pepsinogen I level predicts multiple gastric epithelial neoplasias for endoscopic resection. Gut Liver. 2014 May;8(3):277-81.
- 3. Myung DS, Park CH, Koh HR, Lim SU, Jun CH, Ki HS, Park SY, Rew JS. Cap-assisted ERCP in patients with difficult cannulation due to periampullary diverticulum. Endoscopy. 2014 4pr;46(4):352-5.
- 4. Kee WJ, Park CH, Chung KM, Park SY, Jun CH, Ki HS, Kim HS, Choi SK, Rew JS.

Various applications of endoscopic scissors in difficult endoscopic interventions. Endoscopy. 2014 May;46(5):432-4.

- 5. Kim DH, Park SY, Park CH, Ki HS, Jun CH, Kim HS, Choi SK, Rew JS. Cap-assisted gastroscope versus capassisted colonoscope for examination of difficult sigmoid colons in a nonsedated Asian population: a randomized study. Gastrointest Endosc. 2014 May;79(5):790-7
- 6. Park CH, Lee IS, Grippo P, Pandol SJ, Gukovskaya AS, Edderkaoui M. Akt kinase mediates the prosurvival effect of smoking compounds in pancreatic ductal cells. Pancreas. 2013 May;42(4):655-62.

International Digestive Endoscopy Network 2020

- 7. Park CS, Park CH, Koh HR, Jun CH, Ki HS, Park SY, Kim HS, Choi SK, Rew JS. Needle-knife fistulotomy in patients with periampullary diverticula and difficult bile duct cannulation. J of gastroenterol Hepatol. 2012 Sep;27(9):1480-3.
- 8. Park SY, Kim HS, Yoon KW, Cho SB, Lee WS, <u>Park CH</u>, Joo YE, Choi SK, Rew JS. Usefulness of cap-assisted colonoscopy during colonoscopic EMR: a randomized, controlled trial. Gastrointest Endosc. 2011 Oct;74(4):869-756.
- 9. Yoon KW, <u>Park CH</u>, Park SY, Cho SB, Lee WS, Joo YE, Kim HS, Choi SK, Rew JS. Guidewire cannulation increases the success rate of needle-knife fistulotomy for difficult bile duct access. J Gastroenterol Hepatol. 2010 Jan;25(1):14-8
- 10. Park SY, <u>Park CH</u>, Yoon KW, Cho SB, Lee WS, Joo YE, Kim HS, Choi SK, Rew JS. Endoscopic large-diameter balloon dilation after fistulotomy for the removal of bile duct stones in a difficult cannulation. Gastrointest Endosc. 2009 Apr;69(4):955-9.